

13004 Lic #120-239 wt 4500

128089

SALCO PUBLIC SCALE

19204 S. FIGUEROA STREET
GARDENA, CA 90248
(310) 352-4483 • FAX (310) 532-2841

WEIGHMASTER CERTIFICATE

THIS IS TO CERTIFY that the following described commodity was weighed, measured, or counted by a weighmaster, whose signature is on this certificate, who is a recognized authority of accuracy, as prescribed by Chapter 7 (commencing with Section 12700) of Division 5 of the California Business and Professions Code, administered by the Division of Measurement Standards of the California Department of Food and Agriculture.

Weighed for: <i>Boeing</i>		TOI... TOI...	
Delivered to: <i>ECI</i>		TOI... TOI...	
DRIVER: <i>[Signature]</i>	CARRIER: <i>ECI</i>	BL NO.	FEE: <i>7</i>
WEIGHT IN LBS.		TIME	DATE
GROSS ▶		WYCKOFF, INC. WEIGHMASTER	
Time: 9:34 AM Date: 05/31/01		BY: <i>[Signature]</i>	
63360lb		Weighed at: 19204 S. FIGUEROA STREET GARDENA, CALIFORNIA 90248	
TARE ▶		BY: <i>[Signature]</i>	
Time: 2:17 PM Date: 05/30/01		VEHICLE LICENSE NUMBERS	
23160lb		TRUCK: <i>913041059</i>	TRAILER: _____
NET ▶		UNITS	COMMODITY
40200		1	Concrete
Tare wt Truck only			

DRIVER - COPY

THE BOEING COMPANY

LONG BEACH DIVISION
3855 LAKEWOOD BOULEVARD
LONG BEACH, CA 90846
562-593-4325

WEIGHT TICKET

VENDOR: <i>ECT</i>	GROSS WEIGHT (HEAVY WEIGHT): (TRUCK, BIN(S) AND WASTE)	+	63360
	TRUCK TARE (LIGHT WEIGHT): TRUCK#:	-	23160
	FIRST BIN BIN TARE (EMPTY WEIGHT): BIN#: 1-20-039 TRACKIT #: 00- DR-13622--	-	4500
CONTENTS: <i>Concrete</i>	SECOND BIN BIN TARE (EMPTY WEIGHT): BIN#: TRACKIT #: 00- ----	-	
DISPOSAL FACILITY: <i>CWM, Kettleman</i>	NET WEIGHT OF THE LOAD: (WEIGHT OF THE WASTE ONLY)	T O T A L	35700
MANIFEST #: <i>208797135</i>			▲ ENTER THIS WEIGHT ON THE MANIFEST OR SHIPPING PAPERS
COMMENTS:			

DMH WEIGHTTICKET630100

NAME: <i>Marcia</i>	SIGNATURE: <i>Marcia Talbot</i>	TIME: <i>9:34 am</i>	DATE: <i>05/31/07</i>
---------------------	---------------------------------	----------------------	-----------------------

20879715
 IN CASE OF EMERGENCY OR SPILL, CALL THE NATIONAL RESPONSE CENTER 1-800-424-8802. WITHIN CALIFORNIA, CALL 1-800-852-7550
 G E N E R A T O R
 T R A N S P O R T E R
 F A C I L I T Y

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No. CAD08651000579715		Manifest Document No. 15		2. Page 1 of 1		Information in the shaded areas is not required by Federal law.	
3. Generator's Name and Mailing Address Douglas Aircraft Co., CB, M/S 0035-0009 3855 Lakewood Blvd. Long Beach, CA 90846				A. State Manifest Document Number 20879715		B. State Generator's ID HAWQ36005698			
4. Generator's Phone (562) 435-6524		5. Transporter 1 Company Name Ecology Control Industries		6. US EPA ID Number CAD982030173		C. State Transporter's ID [Reserved]		D. Transporter's Phone (310) 320-2555	
7. Transporter 2 Company Name				8. US EPA ID Number		E. State Transporter's ID [Reserved]		F. Transporter's Phone	
9. Designated Facility Name and Site Address Chemical Waste Management 35251 Old Skyline Rd. Kettleman City, CA 93239				10. US EPA ID Number CAT000646117		G. State Facility's ID		H. Facility's Phone (559) 386-9711	
11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID Number)				12. Containers No. Type		13. Total Quantity		14. Unit Wt/Vol	
a. RO. Hazardous waste solid, n.o.s. (Chromium), 9, HA3077, PGIII (D007)				001 CM		35700		P	
b.								I. Waste Number State EPA/Other	
c.								State EPA/Other	
d.								State EPA/Other	
J. Additional Descriptions for Materials Listed Above (1a) Profile number EA1134 Concrete impregnated with chromium				K. Handling Codes for Wastes Listed Above a. b. c. d.					
15. Special Handling Instructions and Additional Information 24 Hour Emergency Telephone Number (800) 424- 9300 (Chemtrec). Site Address: 19503 South Normandie Ave, Torrance, CA 90502									
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.									
Printed/Typed Name Marcia Taleff				Signature <i>Marcia Taleff</i>				Month Day Year 05 31 01	
17. Transporter 1 Acknowledgement of Receipt of Materials									
Printed/Typed Name JOE ALVAREZ				Signature <i>Joe Alvarez</i>				Month Day Year 05 31 01	
18. Transporter 2 Acknowledgement of Receipt of Materials									
Printed/Typed Name				Signature				Month Day Year	
19. Discrepancy Indication Space									
20. Facility Owner or Operator Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.									
Printed/Typed Name				Signature				Month Day Year	

DO NOT WRITE BELOW THIS LINE.

Generator Name:

Douglas Aircraft Company

Manifest Doc. No.:

79715

Profile Number:

EA1134

State Manifest No.:

20879715

1. Is this waste a non-wastewater or wastewater? (See 40 CFR 268.2) Check ONE: Nonwastewater Wastewater
2. Identify ALL USEPA hazardous waste codes that apply to this waste shipment, as defined by 40 CFR 261. For each waste code, identify the corresponding subcategory, or check NONE if the waste code has no subcategory. Spent solvent treatment standards are listed on the following page. If F039, multi-source leachate applies, those constituents must be listed and attached by the generator. If D001-D043 requires treatment of the characteristic and meet 268.49 standards, then the underlying hazardous constituent(s) present in the waste must be listed and attached.

REF #	3. US EPA HAZARDOUS WASTE CODE(S)	4. SUBCATEGORY ENTER THE SUBCATEGORY DESCRIPTION. IF NOT APPLICABLE, SIMPLY CHECK NONE		5. HOW MUST THE WASTE BE MANAGED? ENTER LETTER FROM BELOW
		DESCRIPTION	NONE	
1	D007		X	A
2				
3				
4				

To identify F039 or D001-D043, underlying hazardous constituent(s), use the "F039/Underlying Hazardous Constituent Form" provided (CWM-2004) and check here:

If no UECs are present in the waste upon its initial generation check here:

To list additional USEPA waste code(s) and subcategory(ies), use the supplemental sheet provided (CWM-2005-B) and check here:

HOW MUST THE WASTE BE MANAGED? In column 5 above, enter the letter (A, B1, B3, B4, C, D or E) below that describes how the waste must be managed to comply with the land disposal regulations (40 CFR 268.7). Please understand that if you enter the letter B1, B3, B4 or D, you are making the appropriate certification as provided below. (States authorized by EPA to manage the LDR program may have regulatory citations different from the 40 CFR citations listed below. Where these regulatory citations differ, your certification will be deemed to refer to those state citations instead of the 40 CFR citations.)

A. RESTRICTED WASTE REQUIRES TREATMENT

This waste must be treated to the applicable treatment standards set forth in 40 CFR 268.40.

For Hazardous Debris: "This hazardous debris is subject to the alternative treatment standards of 40 CFR 268.45."

B.1 RESTRICTED WASTE TREATED TO PERFORMANCE STANDARDS

"I certify under penalty of law that I have personally examined and am familiar with the treatment technology and operation of the treatment process used to support this certification. Based on my inquiry of those individuals immediately responsible for obtaining this information, I believe that the treatment process has been operated and maintained properly so as to comply with the treatment standards specified in 40 CFR 268.40 without impermissible dilution of the prohibited waste. (I am aware there are significant penalties for submitting a false certification, including the possibility of fine and imprisonment.)"

B.2 (Certification removed by Phase IV.)

B.3 GOOD FAITH ANALYTICAL CERTIFICATION FOR INCINERATED ORGANICS

"I certify under penalty of law that I have personally examined and am familiar with the treatment technology and operation of the treatment process used to support this certification. Based on my inquiry of those individuals immediately responsible for obtaining this information, I believe that the nonwastewater organic constituents have been treated by combustion in units as specified in 268.42 Table 1. I have been unable to detect the nonwastewater organic constituents despite having used best good faith efforts to analyze for such constituents. I am aware that there are significant penalties for submitting a false certification, including the possibility of fine and imprisonment."

B.4 DECHARACTERIZED WASTE REQUIRES TREATMENT FOR UNDERLYING HAZARDOUS CONSTITUENTS

"I certify under penalty of law that the waste has been treated in accordance with the requirements of 40 CFR 268.40 to remove the hazardous characteristic. This decharacterized waste contains underlying hazardous constituents that require further treatment to meet universal treatment standards. I am aware that there are significant penalties for submitting a false certification, including the possibility of fine and imprisonment."

C. RESTRICTED WASTE SUBJECT TO A VARIANCE

This waste is subject to a national capacity variance, a treatability variance, or a case-by-case extension. Enter the effective date of prohibition in column 5 above.

For Hazardous Debris: "This hazardous debris is subject to the alternative treatment standards of 40 CFR Part 268.45."

D. RESTRICTED WASTE CAN BE LAND DISPOSED WITHOUT FURTHER TREATMENT

"I certify under penalty of law I personally have examined and am familiar with the waste through analysis and testing or through knowledge of the waste to support this certification that the waste complies with the treatment standards specified in 40 CFR Part 268 Subpart D. I believe that the information I submitted is true, accurate and complete. I am aware that there are significant penalties for submitting a false certification, including the possibility of fine and imprisonment."

E. WASTE IS NOT CURRENTLY SUBJECT TO PART 268 RESTRICTIONS

This waste is a newly identified waste that is not currently subject to any 40 CFR Part 268 restrictions.

I hereby certify that all information submitted in this and all associated documents is complete and accurate, to the best of my knowledge and information.

Signature

Maria Aleff

Title

Env. Eng

Date

05/31/07

1990 Chemical Waste Management, Inc. - 08/98 - Form CWM-2005-C

SOLVENT

If the waste identified on the first page of this form is described by any of the following USEPA hazardous waste codes: F001, F002, F003, F004, F005, and all solvent constituents will not be monitored by the treater, then each constituent MUST be identified below by checking the appropriate box, and this page must accompany the shipment, along with the previous page of this form. If the waste code F039 describes this waste, then the corresponding list of constituents must be attached. If D001-D043 require treatment to 268.46 standards, then the underlying hazardous constituent(s) must also be attached.

2
SOLVENT WASTE TREATMENT STANDARDS

F001 through F005 spent solvent constituents and their associated USEPA hazardous waste code(s).	1 Treatment Standard		F001 through F005 spent solvent constituents and their associated USEPA hazardous waste code(s).	1 Treatment Standard	
	Wastewater	Nonwastewater		Wastewater	Nonwastewater

- 1 All spent solvent treatment standards are measured through a total waste analysis (TCA), unless otherwise noted. Wastewater standards are mg/l, nonwastewater are mg/kg.
- 2 For contaminated soils using the alternative soil treatment standards, the treatment standards for F001-F005 spent solvents must be a 90% reduction of constituents or less than 10 x the standards listed.

SUBCATEGORY REFERENCE

- D001 Ignitable characteristic wastes, except for the 40 CFR 261.21(a)(1) High TOC subcategory.
- B. High TOC Ignitable characteristic liquids subcategory based on 40 CFR 261.21(a)(1) - Greater than or equal to 10% total organic carbon.